

2022 PM PL 74 BOOM TRUCK CRANE



BIK Boom Trucks
 BIK Sales Team: 888-557-2244
 Last Updated: 25 Nov 2022
 Price: Inquire
 Location: Milford, Massachusetts, United States

Year: 2022
 Capacity: 0.00
 Condition: New

BOOM DETAILS

NEW – PM POWERLIFT-74
WALLBOARD SERIES BOOM – 8TH
FLOOR LIFT – INSTALLED BACK OF
CAB – BEST CAPACITY IN ITS
CLASS!

DECK DETAILS

NEW – 24'4" X 102" ALUMINUM FLAT
DECK

Installed on Top of Steel Main Sill,
 4" Aluminum Excursion Deck
 Surface

4 Hydraulic Extensions to **62'**
Horizontal Reach (74' Vertical)

Horizontal Capacities Are:

7,360 lb @ 27'

5,180 lb @ 36'

3,930 lb @ 44'

3,050 lb @ 53'

2,605 lb @ 61' 3"

Internal Cylinders on All Boom
 Extensions, Outer Boom Cylinder
 Guard.

Rack & Pinion Type 390 Degree
 Non-Continuous Rotation,
 Mechanical Stop Between Main
 Boom and Boom Unit

Power Link Connections at Main
 and Articulating Cylinders,
 Enhanced Lifting Power
 Throughout

Extra-Wide Stabilizers – 24' 3"
 Span, Hydraulic Out and Down
 Type

Flanged Holding Valves, Double
 Acting Check Valve for the Down
 Movement of the Stabilizers

Hydraulic Oil Cooler, High
 Pressure Return Filter and min.
 40-Gallon Oil Tank for Boom

DANFOSS Valve – At Top Seat
 Joystick & Foot Pedal Controls &
 SCANRECO Proportional Ratio

Removable 66" Front Headboard

8 Sliding Tie-Down Winch Straps
 on Passenger Side, Winch Bar
 Holder and Winch Bar

Access Ladders on Both Sides at
 Front, Under Deck Stabilizer
 Pad/Cone/Chuck Holders

Reflectors and 5-Side Lights as
 Required

TRUCK DETAILS

Remote Control
NEW – KENWORTH T880 4-AXLE DIESEL TRUCK: 79,000 LB GVWR

Radio Remote Control, PACCAR 10L Diesel 485 hp, 1,650 ft/lb Torque

2 Batteries, In-Cab Charger, and Eaton Ultrashift Plus Automated 18-Speed Transmission

Back-up Cord,
20,000 lb Fronts with 425/65R22.5 Front Flotation Tires on Aluminum Rims

Continuous Rotation Drywall
46,000 lb Rears on Hendrickson Primax Air-Ride Suspension with 11R22.5 Tires on
Forks
Aluminum Rims

Crane Painted PM Blue, Load
13,000 lb Self-Steer Tag Axle Behind T/A with Low Profile 22.5" Tires & Alum. Rims
Chart on Boom in FT. & LBS.

274" Wheel Base, Double Frame Chassis, 54" Spread at Tandems

Load Tested & Installed Back of
Truck Features Include: Two Stage Engine Brake, Air Cond., AM/FM Stereo, Cruise,
Cab, with Integral Sub-Frame and
Tilt/Telescopic Steer Column, Power Windows/Locks, Chrome Bumper & Grill, Power
Specialized Torsion Bracing to
and Heated Mirrors, Dual Chrome Hood-Mounted Mirrors, Engine Block Heater,
Meet or Exceed All CMVSS
Painted Ext. Visor, Trailer Air Tow Package, Rear Wheel Lock-ups, 80-Gal. Alum. Fuel
Standards

Tank, etc...

Also Included:

Activate Extra Remote Features to Operate: Engine Start/Stop, Variable RPM & Truck
Horn Alert

(1) 36" Aluminum Storage Box

Safety Cones (2 pcs.) with Holders and Wheel Chucks

Pair of Aluminum Stabilizer Pads with Holders on Each Side at Front of Deck

1" Drawplate Installed with Pintle Hook

This crane was posted by:



BIK BOOM TRUCKS

www.bikboomtrucks.com
Contact: **BIK Sales Team**, Sales Department
Phone: 888-557-2244
Alt Phone: 860-510-2867
Fax: 416-679-8250

© 2023 Crane Network, LLC. All rights reserved. Site Design by LDM