


(i) Consultarnos - Consultateci - Consult us - Nous consulter - Auf anfrage - советоватьсья


* Preliminary version.





DIN/FEM **CE**
EN 14439-FEM 1005- C25





Curvas de cargas - Load diagrams - Lastkurven - Courbes de charges - Curve di carico - График грузоподъёмности


80 	SL	◀ ■ ■ ▶											◀ ■ ▶		
		20	25	30	35	39,5	45	50	55	60	65	70,7	79,1	80	m
		25000	25000	25000	25000	25000	21383	18878	16850	15163	13745	12500	12500	12296	Kg
		25	30	30	35,2	40	45	50	55	60	64,9	70,2	75	80	m
		25000	25000	25000	25000	22273	19375	17088	15225	13683	12500	12500	11610	10800	Kg


75 	SL	20	25	30	35	41,5	45	50	55	60	65	74,1	75	m
		25000	25000	25000	25000	25000	22604	19976	17843	16074	14594	12500	12500	Kg
		25	30	30	37,2	40	45	50	55	60	65	74,5	75	m
		25000	25000	25000	25000	25000	23784	20721	18288	16312	14676	13439	12500	12400


70 	SL	20	25	30	35	44	45	50	55	60	65	69,1	m
		25000	25000	25000	25000	25000	24229	21425	19158	17274	15691	14573	Kg
		20	25	30	35	39,4	45	50	55	60	65	69,1	m
		25000	25000	25000	25000	25000	21410	18920	16890	15210	13800	12800	Kg


65 	SL	20	25	30	35	40	46	50	55	60	64,1	m
		25000	25000	25000	25000	25000	25000	22573	20203	18226	16850	Kg
		20	25	30	35	41,1	45	50	55	60	64,1	m
		25000	25000	25000	25000	25000	22510	19900	17780	16030	14800	Kg

60 	SL	20	25	30	35	40	47,2	50	55	59,1	m
		25000	25000	25000	25000	25000	25000	23256	20814	19127	Kg
		20	25	30	35	42,1	45	50	55	59,1	m
		25000	25000	25000	25000	25000	23140	20470	18300	16800	Kg

55 	SL	20	25	30	35	40	48,2	50	54,1	m
		25000	25000	25000	25000	25000	25000	23826	21745	Kg
		20	25	30	35	42,9	45	50	54,1	m
		25000	25000	25000	25000	25000	23680	20950	19100	Kg

50 	SL	20	25	30	35	40	48	49,1	m
		25000	25000	25000	25000	25000	25000	24250	Kg
		20	25	30	35	42,8	45	49,1	m
		25000	25000	25000	25000	25000	23570	21300	Kg

45 	SL	20	25	30	35	40	44,1	m
		25000	25000	25000	25000	25000	25000	Kg
		20	25	30	35	42,3	44,1	m
		25000	25000	25000	25000	25000	23800	Kg





35 	SL	20	25	30	35	34,1	m
		25000	25000	25000	25000	25000	Kg
		20	25	30	35	34,1	m
		25000	25000	25000	25000	25000	Kg




SL-SUPERLIFT Otras velocidades y características de funcionamiento – Variant speeds and service conditions – Abweichende Geschwindigkeiten und Betriebsbedingungen – Vitesses et conditions de fonctionnement différentes – Differenti velocità e condizioni di funzionamento – Нестандартные скорости и условия эксплуатации






* Preliminary version.

Mecanismos - Mechanisms - Antriebe - Mécanismes - Meccanismi - Приводы



110 Hp (80Kw)-INV-5V
400V / 480V- 50/60 HZ

												
	 660 m	m/min	0—15	0—30	0—43	0—79	0—127	0—7,5	0—15	0—21,5	0—39,5	0—63,5
		Kg	12500	12500	8000	4000	500	25000	25000	16000	8000	1000
		Kw	80	80	80	80	80	80	80	80	80	80

	m/min	15 / 45 / 75		
	Kw	11		
	r.p.m.	0,3	0,6	0,7
	Kw	4 x 7,5		
	m/min	12 / 24		
	Nm	4 x 80		

- * Opcional / Optional / Opzionale
-  Elevación / Hoisting / Heben / Levage / Sollevamento
-  Distribución / Trolleying / Katzfahren / Distribution / Diritubizione
-  Orientación / Slewing / Schwenken / Orientation / Rotazione
-  Traslacion / Travelling / Schienenfahren / Translation / Traslazione
-  Cable / Rope / Seil / Câble / Fune


110Hp (80Kw) - INV

		400V 50Hz I _{max} = 260A Fuse= 300A	TOTAL POWER 134 KVA	GENERATOR 280 KVA	100m	150m	200m
		* 480V 60Hz I _{max} = 192A Fuse = 250A			4x70mm ²	4x95mm ²	4x120mm ²

* Preliminary version.

Montaje - Erection - Montage - Montage - Montaggio

TLS




C

HM26:	HEM2623.1660
HM30/26:	HM3023.6.1672.1660
HM30:	HM3023.1672
HM30R:	HM3023R.2472.1672
FA HM30:	HM3023.472
FA HM30 R:	HM3023.672

Proceso de trepado - External climbing - Kletterkrane - Telescopable - Sopralzo idraulico - Процесс наращивания крана


TREPADO EXTERNO / EXTERNAL CLIMBING / GEANKERTER KRAN /
GRUE ANDRÉE / GRU ANCORATA / ВОСХОЖДЕНИЕ ЭКСТЕРНО



HM30

	D1 min/max	D2 min/max	D3 max	H max
30m	48m/54m	30m/36m	48	140
35m	48m/54m	30m/36m	48	140
40m	43m/49m	30m/36m	40	130
45m	43m/49m	30m/36m	40	130
50m	36m/42m	24m/30m	36	96
55m	36m/42m	24m/30m	36	96
60m	36m/42m	24m/30m	36	96
65m	24m/30m	18m/24m	36	80
70m	24m/30m	18m/24m	36	80

TREPADO INTERNO / BOTTOM CLIMBING CRANE / KLETTERRKRANE IM GEBÄUDE / TÉLESCOPAGE SUR DALLES /
GRU CLIMBING / ВНУТРЕННИЙ ПРОЦЕСС ТЕЛЕСКОПИРОВАНИЯ



HM30

	C (m)	H (m)
30m	18	63
	21	63
	24	63
35m 40m 45m	16	60
	18	60
	21	60
50m 55m 60m	15	51
	16	51
	18	51
65m 70m	15	42
	16	42
	18	42

X (m)	3
Y (m)	2,5

(i) Consultarnos - Consultateci - Consult us - Nous consulter - Auf anfrage- Другие высоты подъема и наращивание крана по запросу