

2022 PM 26523 KNUCKLE BOOM ARTICULATING CRANE



BIK Boom Trucks
 BIK Sales Team: 888-557-2244
 Last Updated: 25 Nov 2022
 Price: Inquire
 Location: Milford, Massachusetts, United States

Year: 2022
 Capacity: 0.00
 Condition: New

BOOM DETAILS

NEW – PM 26523 KNUCKLE BOOM

Folding Knuckle Boom

3 Hyd Extensions to 33' 4" Horizontal Reach (45' Vertical)

TRUCK DETAILS

NEW – KENWORTH T880-SH T/A TRUCK: 66,000 LB GVWR

Paccar MX – 485 hp with Engine Brake – Eaton

Horizontal Capacity:**12,000 lb @ 14'****8,400 lb @ 20'****6,300 lb @ 26'****5,000 lb @ 33'**

408 Degrees Rotation on Main Hydraulic Slewing

Crane Painted PM Blue

Double Pilot Operated on Slewing and Pilot Operated

Check Valves on All Cylinders

Hydraulic Oil Cooler, High Pressure Return Filter and

min. 40-Gallon Oil Tank for Boom

DANFOSS Proportional Valve Controls – Single-Sided

Operator Control Station

SCANRECO Radio Remote Control – Electronically

Actuated Controller, Proportional Precision and

Ultimate Operator Feel and Control

Radio Remote Includes: 5 Micro Speed-Reducing

Settings from Handheld Unit, Emergency Stop, 2

Batteries with In-Cab Charger, 50' Back-up Cord

Hydraulic OUT and Hydraulic DOWN 2-Sided

Stabilizers w/Round Foot Pads Welded to Bottom of

Cylinder

15 Degree Negative Angle on Folding Arm –

Hydraulic Overload Protection – ^{Package, etc} Simplified System

that Prevents Boom from Overload

Other Options Available:Load Holding Valves on Each Cylinder for Safety and
36" up to 60" Aluminum Storage Box

Security of Operator and Load

Dealer Installed Dual Roof-Mounted Strobe Lights

Heavy Duty Pedestal Turning Cylinders for Greater

Turning Torque, Reduced Wear, and Improved
Pair of Aluminum Stabilizer Pads with Holders at Rear Bumper

1" Drawplate Installed at Rear of Truck with Heavy Duty Pintle Hook

Precision

Installed End of Frame, with Integral Sub-Frame to

Meet or Exceed all CMVSS Standards, Stability Tested

Ultrashift Plus – Automated

18 Spd Trans.

4.10 Rear Axle Ratio, Truck

Cab White

20,000 lb Fronts with 425 /

65R22.5 Tires

46,000 lb Rears on

Hendrickson Pri-Max Air Ride

Susp., Double Frame,

Polished ALCOA Aluminum

Wheels Front and Rear

Chrome Grill & Bumper,

Single 120-Gallon Alum Fuel

Tank

Options Include: A/C,

Tilt/Telescopic Steering,

AM/FM with Bluetooth

Weather-Band, Air Ride

Driver's and Fixed Pass. Seat,

Cruise, Heated Mirrors,

Painted Ext. Sun Visor, 4

Wheel Lock-ups, Pass. Side

Power Windows/Locks, Air


Ride Cab, Trailer Tow

DECK DETAILS

& Certified by ~~Engineer~~ **NEW: 21' 6" X 102" DECK**

Installed on Truck, with 54" of Main Sill Overhang for Sub-Frame of Knuckle Boom
Steel Checker Plate (or) Hardwood Deck Surface
66" Headboard, Sliding Track on Pass. Side w/ 6 Winches and Straps
Painted Gloss Black

This crane was posted by:



BIK BOOM TRUCKS

www.bikboomtrucks.com
Contact: **BIK Sales Team**, Sales Department
Phone: 888-557-2244
Alt Phone: 860-510-2867
Fax: 416-679-8250

© 2023 Crane Network, LLC. All rights reserved. Site Design by LDM