



STL










ⓘ Consultarnos - Consultateci - Consult us - Nous consulter - Auf anfrage - советоваться

* Draft version.



Curvas de cargas - Load diagrams - Lastkurven - Courbes de charges - Curve di carico - График грузоподъёмности




		◀ ■ ■ ▶															
80 	SL	15,2	25	27	29	30	35	40	45	50	55	60	65	70	75	80	m
		50000	27455	25000	25000	24042	20176	17322	15128	13390	11978	10809	9825	8985	8260	7628	Kg
		14,2	20	25,1	26,9	30	35	40	45	50	55	60	65	70	75	80	m
		50000	33049	25000	25000	22119	18543	15902	13873	12265	10959	9877	8967	8190	7519	6934	Kg
75 	SL	15,6	25	27,6	29,8	30	35	40	45	50	55	60	65	70	75	m	
		50000	28334	25000	25000	24765	20790	17855	15600	13813	12361	11159	10147	9284	8538	Kg	
		14,5	25	25,7	27,6	30	35	40	45	50	55	60	65	70	75	m	
		50000	25885	25000	25000	22750	19078	16368	14285	12634	11293	10183	9248	8451	7762	Kg	
70 	SL	16,5	20	25	29,3	31,6	35	40	45	50	55	60	65	70	m		
		50000	39901	30493	25000	25000	22299	19167	16760	14852	13303	12020	10940	10018	Kg		
		15,4	25	27,2	29,3	30	35	40	45	50	55	60	65	70	m		
		50000	27816	25000	25000	24339	20428	17541	15322	13563	12135	10953	9957	9108	Kg		
65 	SL	18,1	25	30	32,4	34,8	35	40	45	50	55	60	65	m			
		50000	34185	27459	25000	25000	24879	21409	18743	16629	14913	13492	12295	Kg			
		16,8	20	25	29,9	32,2	35	40	45	50	55	60	65	m			
		50000	40726	31140	25000	25000	22751	19560	17107	15164	13585	12278	11178	Kg			
60 	SL	20,5	25	30	35	36,7	39,6	40	45	50	55	60	m				
		50000	39610	31922	26549	25000	25000	24703	21656	19240	17278	15654	Kg				
		18,9	20	25	30	33,9	36,5	40	45	50	55	60	m				
		50000	46971	36040	28984	25000	25000	22535	19738	17522	15722	14231	Kg				
55 	SL	20	21,6	25	30	35	38,9	41,9	45	50	55	m					
		50000	50000	42281	34119	28416	25000	25000	23090	20526	18443	Kg					
		20	25	30	35	35,8	38,6	40	45	50	55	m					
		50000	38436	30956	25729	25000	25000	23991	21025	18675	16767	Kg					
50 	SL	20	21,8	25	30	35	39,2	42,3	45	50	m						
		50000	50000	42685	34452	28699	25000	25000	23307	20720	Kg						
		20	20,1	25	30	36,1	38,8	40	45	50	m						
		50000	50000	38772	31232	25000	25000	24195	21206	18837	Kg						
45 	SL	21,7	25	30	35	39,1	42,1	45	m								
		50000	42532	34326	28592	25000	25000	23225	Kg								
		20	25	30	36	38,7	40	45	m								
		50000	38601	31092	25000	25000	24091	21114	Kg								
35 	SL	20	25	25,9	30	34,1	m										
		50000	50000	50000	43791	34632	Kg										
		20	23,9	25	30	34,1	m										
		50000	50000	49653	39872	33120	Kg										




SL-SUPERLIFT Otras velocidades y características de funcionamiento – Variant speeds and service conditions – Abweichende Geschwindigkeiten und Betriebsbedingungen – Vitesses et conditions de fonctionnement différentes – Differenti velocità e condizioni di funzionamento – Нестандартные скорости и условия эксплуатации




* Draft version.

Mecanismos - Mechanisms - Antriebe - Mécanismes - Meccanismi - Приводы



165 Hp (123Kw) - INV - 5V
400V / 480V - 50/60 HZ

												
	660 m	m/min	0-15	0-26	0-52	0-100	0-124	0-7,5	0-13	0-26	0-50	0-62
		Kg	25000	25000	12500	7500	500	50000	50000	25000	15000	1000
		Kw	123	123	123	123	123	123	123	123	123	123

	m/min	15 / 45 / 75		
	Kw	11		
	r.p.m.	0,3	0,6	0,7
	Kw	4 x 7,5		
	m/min	12 / 24		
	Nm	4 x 80		

- * Opcional / Optional / Opzionale
-  Elevación / Hoisting / Heben / Levage / Sollevamento
-  Distribución / Trolleying / Katzfahren / Distribution / Distributions
-  Orientación / Slewing / Schwenken / Orientation / Rotazione
-  Traslacion / Travelling / Schienenfahren / Translation / Traslazione
-  Cable / Rope / Seil / Câble / Fune


165Hp (123Kw) - INV

		400V 50Hz Imax.= 485A Fuse= 500A	TOTAL POWER 315 KVA	GENERATOR 500 KVA	100m 6PX120+GND	150m 6PX120+GND	200m 6PX120+GND
2000/14/CEE 2005/88/CEE	2006/95/CEE	* 480V 60Hz Imax.= 400A Fuse = 500A					

* Draft version.

Montaje - Erection - Montage - Montage - Montaggio

STL




HM26:	HEM2623.1660
HM30/26:	HM3023.6.1672.1660
HM30:	HM3023.1672
HM30R:	HM3023R.2472.1672
FA HM30:	HM3023.472
FA HM30 R:	HM3023.672

* Draft version.

Proceso de trepado - External climbing - Kletterkrane - Telescopable - Sopralzo idraulico - Процесс наращивания крана


TREPADO EXTERNO / EXTERNAL CLIMBING / GEANKERTER KRAN /
GRUE ANDRÉE / GRU ANCORATA / ВОСХОЖДЕНИЕ ЭКСТЕРНО



HM30

	D1 min/max	D2 min/max	D3 max	H max
30m	48m/54m	30m/36m	48	140
35m	48m/54m	30m/36m	48	140
40m	43m/49m	30m/36m	40	130
45m	43m/49m	30m/36m	40	130
50m	36m/42m	24m/30m	36	96
55m	36m/42m	24m/30m	36	96
60m	36m/42m	24m/30m	36	96
65m	24m/30m	18m/24m	36	80
70m	24m/30m	18m/24m	36	80

TREPADO INTERNO / BOTTOM CLIMBING CRANE / KLETTERRANE IM GEBÄUDE / TÉLESCOPAGE SUR DALLES /
GRU CLIMBING / ВНУТРЕННИЙ ПРОЦЕСС ТЕЛЕСКОПИРОВАНИЯ



HM30

	C (m)	H (m)
30m	18	63
	21	63
	24	63
35m 40m 45m	16	60
	18	60
	21	60
50m 55m 60m	15	51
	16	51
	18	51
65m 70m	15	42
	16	42
	18	42

X (m)	3
Y (m)	2,5

ⓘ Consultarnos - Consultateci - Consult us - Nous consulter - Auf anfrage- Другие высоты подъема и наращивание крана по запросу