

TADANO ATF50G-3

2015 | PR-Id 60549

- > Incl. transport advice
- > Incl. required documents

POA



GENERAL SPECIFICATIONS

Item Number	PR-Id 60549	Manufacturer	TADANO
Model	ATF50G-3	Year of construction	2015
Hours	0	Hours carrier	0
Hours superstructure	0	Kilometers	82646
Loading (lifting) capacity	50000	Boom length maximum	40
Fuel	-	Net weight (kg)	36000
Length (m)	11.4	Width (m)	2.66
Height (m)	3.73	Loading/lifting capacity	50000
Total volume container m3	0	Transmission	6x6x6
Engine manufacturer	Mercedes-Benz	Cylinders	6
Turbo	1	Topspeed (km/h)	80
Min-1 / R.P.M.	0	Gearbox type	Automatic
Servo-assisted steering	>	Central lubrication	
Tire brand	-	Tires size	445/95 R 25
Capacity in KW	240	Capacity in HP	327
kVA	0	Bar (Compressor)	0
Watt	0	Hertz	0
Volume (compressor)	0	Working height	0
Height of platform	0	Horizantal range (m)	0
Platform size (I*w) m2	0	Loading ramp Length (m)	0
Loading ramp Width (m)	0	Loading ramp Height (m)	0
Number of passenger seats	0	Camera rear view	
Cabine type	-	Counterweight total kg	10000
Number of counterweights	6	Number of hookblocks	2
Carrying capacity block 1	12	Number of sheaves per	1
		hookblock 1	
Carrying capacity block 2	32	Number of sheaves per	3
		hookblock 2	
Carrying capacity block 3	0	Number of sheaves per	0
		hookblock 3	
Ball weight	0	Boom length minimum	10
Boom type	-	Boom sections	5
Jib type	-	Safety loadindicator	
Lift height (m)	0	Free lift height	0
Width workspace	0	Headway height (m)	3.74
Number of axles	3	Retarder/intarder	Retarder
Total volume concrete mixer	0	Drilling distance	0
(I)			



Length of flat-belt conveyor

Ω

SALES TEAM







Kevin Stoteler +31 (0) 618880129



Adriaan Aagten +48 (0) 692904762



Wesley Wittstock +44 (0) 7810022129



Marcos Vinicius Costa +55 (0) 21 99272-0022

2/3



















