

# LET'S MAKE ZERO-EMISSION REAL

RentalMatch Green Power

Dealer and Maintenance partner of:

JMG Cranes North Europe

Sales & Service Office

Ecologieweg 16

3433 LM Hendrik-Ido-Ambacht - Netherlands

t +31 651855113

t +31 613214166

e info@rentalmatch.eu

Production Plant

Via Sito Nuovo 14

29010 Sarmato (PC) - Italy



Data subject to change without prior notice  
Edition 04/2020 © 2020 JMG Cranes S.p.A. All rights reserved  
Rev.1 - 04/20



**RentalMatch**  
GREEN POWER

Electric  
Pick & Carry  
Cranes




**MC 85 (metric)**  
Max Capacity 8,500 kg

[www.RentalMatch.eu](http://www.RentalMatch.eu)




**JMG**<sup>®</sup>  
movetosolution















**HYDRAULICALLY TELESCOPING PROPORTIONALLY TYPE BOOM**  
**FRONT-WHEELS DRIVE WITH COUNTER ROTATION**  
**180° REAR STEERING**

### Options :


- HYDRAULIC WINCH
- HYDRAULIC JIB WITH HYDRAULIC EXTENSION
- BENDABLE MANUAL JIB WITH MANUAL EXTENSION
- NON-MARKING TIRES
- RADIO REMOTE CONTROL
- HYDRAULIC FORKS
- MAN BUCKET
-  ATEX CONVERSIONS
- CUSTOMIZED PAINTING

## Technical features




Max Capacity kg	 8,500
Dimension mm	 3655x1700x1900

	Front-wheels drive. 2 electric motors AC 7,5 kW 72V Insulation class H		Electronic safe load indicator and tilting moment limiter
	Total Kg. 9,320		Hydraulically foot controlled service brake on all wheels, hydraulically automatic or button controlled parking brake on front wheels
	72 V - 620 Ah 8 working hours		Fabricated from preformed and welded quality steel plate
	Front nr. 2 superelastic 355x65/15" Rear nr. 2 superelastic 7.50/15"		+60°/-15°
	Rear Steering angle -90°/+90°		Motor driven pump 1x16 kW-72 V AC

## Load charts



## EU Standards CE

	UNI ISO 4301-2: A1
	2006/42 CE-2014/30 UE-2014/35 UE- 2000/14 and subsequent modifications
	EN 13000:2014 ANSI/ASME B30.5-2011 and subsequent modifications

## Dimensions

