2022 BIK FC-92 KNUCKLE BOOM ARTICULATING CRANE



BIK Boom Trucks
BIK Sales Team: 888-557-2244
Last Updated: 24 Nov 2022
Price: Inquire
Location: Milford, Massachusetts, United States

Year: 2022 Capacity: 0.00 Condition: New

BOOM DETAILS

New - BIK "Form-Crane" Series FC-92

PM 65 ton/m Folding Knuckle
Boom with jib – 6+6 extensions –
92' Horizontal Reach

DECK DETAILS

New - 22' x 102" Steel Checker plate - LOW PROFILE: to accommodate up to 9'2" tall Form Cages

Installed on pre-engineered 6" main sill sub frame & extension

Main Boom Horizontal Capacity:

48,500 lb @ 8' 2"

28,260 lb @ 14' 5

15,340 lb @ 25' 3"

10,000 lb @ 37'

7,210 lb @ 50' 2"

Jib Horizontal Capacity:

3,850 lb @ 59' 1"

3,000 lb @ 74'6"

2,340 lb @ 81'1"

2,100 lb @ 86' 8"

1,800 lb @ 92'

Power-Link connections at Main, Knuckle & Jib Cylinders

Dual Planetary Gear Motors & Continuous Boom Rotation

Double pilot operated on slewing and pilot operated check valves on all cylinders

Extra function plumbed to boom tip w/Hyd rotator & T-hook

180 degree flip-up Hydraulic *Extra Wide Main outriggers* at pedestal

– 28' – 7" span

Extra Wide Front Aux Stabilizers with 21' Span

Hydraulic Oil Cooler, high
pressure return filter and min. 70
-gallon hyd aluminum oil tank
with gate valves mounted at front
under deck

with X-braces for Tortional support tied to truck frame by sheer plating at front, center and rear

aluminum deck surface

60" + headboard, Center Divider
4-vertical mounted winch straps
mounted ahead of headboard to
wrap around cages for transport
6 - under deck sliding tie-down
winch straps on passenger side,
winch bar holder and winch bar,
dual ladder access, reflectors and
side lights as required by DOT
standards.

TRUCK DETAILS

New – Peterbilt 567 5-Axle TA steer / Tri-Drive Diesel

<u>Truck:</u> 109,000 lb GVWR

15L Cummins Diesel,<u>565 hp</u>

Eaton Ultrashift-Plus Automated 18spd trans.

(2) x 20,000 lb tandem steer fronts with 425/65R22.5 Front Floatation tires on Alum rims

69,000 LB Tri-Drive Rears on Hendrickson Air Ride Suspension with 11R22.5 tires on Aluminum rims

Double frame chassis

Truck Features Include: Two Stage Engine Brake, Air Cond., AM/FM stereo, cruise, tilt/tele steer column, power windows/locks, chrome bumper and grill, Power and heated mirrors, engine block heater, painted ext visor, trailer air tow package,

7 - Section

rear wheel lock ups, 80 gal alum fuel tank, trailer air tow package, etc...

DANFOSS Proportional Control

Valve at Top-Seat with Ladder

Access -

& SCANRECO Proportional

Radio Remote Control

Also included:

PM - Power Transcomboerstal paider pads with holders mounted on truck,

& function monitoring 36 aluminum checker plate storage box, hydraulic rotator system, **Digital Load Indicator at**

1" drawplate installed at rear This crane top seat & remote, electric/hyd

overload protection

Radio Remote Control includes: 2-

batteries, in-cab charger, and
back-up cord – 5 level turtle

(micro sigw dpwn mode

Warral Land & labour on
entire boom, 3-Yr. or Structural

BOOM TRUCKS

Character Follows By Bullety UNLOADING SOLUTIONS

integral sub-frame, 3/8" front and center -½" sheer plating at crane for maximized torsion strength

BIK BOOM TRUCKS

www.bikboomtrucks.com Contact: **BIK Sales Team**, Sales Department Phone: **888-557-2244** Alt Phone: **860-510-2867** Fax: **416-679-8250**

© 2023 Crane Network, LLC. All rights reserved. Site Design by LDM