


(i) Consultarnos - Consultateci - Consult us - Nous consulter - Auf anfrage - советоватьсья

* Preliminary version.



DIN/FEM **CE**
EN 14439-FEM 1005- C25



Curvas de cargas - Load diagrams - Lastkurven - Courbes de charges - Curve di carico - График грузоподъёмности

80	SL	◀ ■ ■ ▶											m			
		20	27,7	30	35	40	45	48,1	55,9	60	65	70		75	80	Kg
		25000	25000	22709	18783	15885	13657	12500	12500	11541	10542	9689		8953	8311	
		25	25,6	30	35	40	44,4	51,5	55	60	65	70		75	80	m
25000	25000	20614	17003	14338	12500	12500	11618	10526	9607	8823	8146	7555	Kg			

75	SL	20	28,4	30	35	40	45	49,3	57,3	60	65	70	75	m
		25000	25000	23407	19375	16400	14113	12500	12500	11879	10853	9978	9222	
		25	26,5	30	35	40	45,5	52,8	55	60	65	70	75	m
		25000	25000	21230	17527	14793	12500	12500	11945	10825	9882	9078	8373	

70	SL	20	25	30,1	35	40	45	50	52,5	61	65	70	m
		25000	25000	25000	20863	17692	15256	13324	12500	12500	11634	10702	
		20	27,8	30	35	40	45	48,3	56,1	60	65	70	m
		25000	25000	22805	18864	15955	13720	12500	12500	11588	10585	9729	

65	SL	20	30	33,1	35	40	45	50	55	57,8	65	m
		25000	25000	25000	23421	19916	17222	15087	13353	12500	12500	
		20	25	30,5	35	40	45	50	53,1	61,7	65	m
		25000	25000	25000	21175	17964	15496	13540	12500	12500	11799	

60	SL	20	25	34,1	35	40	45	50	55	59,1	m
		25000	25000	25000	24296	20676	17894	15689	13899	12500	
		20	25	31,4	35	40	45	50	55	59,1	m
		25000	25000	25000	21956	18642	16096	14077	12438	11081	

55	SL	20	25	30	35	38,2	45	50	54,1	m
		25000	25000	25000	25000	25000	20555	18074	16060	
		20	25	30	35,4	40	45	50	54,1	m
		25000	25000	25000	25000	21643	18749	16455	14593	

50	SL	20	25	30	35	38,5	45	49,1	m
		25000	25000	25000	25000	25000	20733	18234	
		20	25	30	35,6	40	45	49,1	m
		25000	25000	25000	25000	21785	18875	16568	

45	SL	20	25	30	38,3	40	44,1	m
		25000	25000	25000	25000	23742	20605	
		20	25	30	35,4	40	44,1	m
		25000	25000	25000	25000	21614	18723	





35	SL	20	25	30	35	34,1	m
		25000	25000	25000	25000	25000	
		20	25	30	35	34,1	m
		25000	25000	25000	25000	25000	




SL-SUPERLIFT Otras velocidades y características de funcionamiento – Variant speeds and service conditions – Abweichende Geschwindigkeiten und Betriebsbedingungen – Vitesses et conditions de fonctionnement différentes – Differenti velocità e condizioni di funzionamento – Нестандартные скорости и условия эксплуатации






* Preliminary version.

Mecanismos - Mechanisms - Antriebe - Mécanismes - Meccanismi - Приводы



110 Hp (80Kw)-INV-5V
400V / 480V- 50/60 HZ

											
	 m/min	0—15	0—30	0—43	0—79	0—127	0—7,5	0—15	0—21,5	0—39,5	0—63,5
	660 m Kg	12500	12500	8000	4000	500	25000	25000	16000	8000	1000
	Kw	80	80	80	80	80	80	80	80	80	80

	m/min	15 / 45 / 75		
	Kw	11		
	r.p.m.	0,3	0,6	0,7
	Kw	4 x 7,5		
	m/min	12 / 24		
	Nm	4 x 80		

- * Opcional / Optional / Opzionale
-  Elevación / Hoisting / Heben / Levage / Sollevamento
-  Distribución / Trolleying / Katzfahren / Distribution / Distributions
-  Orientación / Slewing / Schwenken / Orientation / Rotazione
-  Traslacion / Travelling / Schienenfahren / Translation / Traslazione
-  Cable / Rope / Seil / Câble / Fune


110Hp (80Kw) - INV

		400V 50Hz Imax.= 260A Fuse= 300A	TOTAL POWER	GENERATOR	100m	150m	200m
2000/14/CEE 2005/88/CEE	2006/95 /CEE	* 480V 60Hz Imax.= 192A Fuse = 250A	134 KVA	280 KVA	4x70mm ²	4x95mm ²	4x120mm ²

* Preliminary version.

Montaje - Erection - Montage - Montage - Montaggio

STL




C

HM26:	HEM2623.1660
HM30/26:	HM3023.6.1672.1660
HM30:	HM3023.1672
HM30R:	HM3023R.2472.1672
FA HM30:	HM3023.472
FA HM30 R:	HM3023.672

Proceso de trepado - External climbing - Kletterkrane - Telescopable - Sopralzo idraulico - Процесс наращивания крана


TREPADO EXTERNO / EXTERNAL CLIMBING / GEANKERTER KRAN /
GRUE ANDRÉE / GRU ANCORATA / ВОСХОЖДЕНИЕ ЭКСТЕРНО



HM30

	D1 min/max	D2 min/max	D3 max	H max
30m	48m/54m	30m/36m	48	140
35m	48m/54m	30m/36m	48	140
40m	43m/49m	30m/36m	40	130
45m	43m/49m	30m/36m	40	130
50m	36m/42m	24m/30m	36	96
55m	36m/42m	24m/30m	36	96
60m	36m/42m	24m/30m	36	96
65m	24m/30m	18m/24m	36	80
70m	24m/30m	18m/24m	36	80

TREPADO INTERNO / BOTTOM CLIMBING CRANE / KLETTERKRANE IM GEBÄUDE / TÉLESCOPAGE SUR DALLES /
GRU CLIMBING / ВНУТРЕННИЙ ПРОЦЕСС ТЕЛЕСКОПИРОВАНИЯ



HM30

	C (m)	H (m)
30m	18	63
	21	63
	24	63
35m 40m 45m	16	60
	18	60
	21	60
50m 55m 60m	15	51
	16	51
	18	51
65m 70m	15	42
	16	42
	18	42

X (m)	3
Y (m)	2,5

ⓘ Consultarnos - Consultateci - Consult us - Nous consulter - Auf anfrage- Другие высоты подъема и наращивание крана по запросу